

# Cartouches fusibles

CALIBRE (A)	TENSION (V)	POUVOIR DE COUPURE (KA)	Réf sans perceur	PKG PCE
<b>10 x 38 mm - HPC</b>				
2	500	120	<b>0.601.02</b>	10
4	500	120	<b>0.601.04</b>	10
6	500	120	<b>0.601.06</b>	10
10	500	120	<b>0.601.10</b>	10
16	500	120	<b>0.601.16</b>	10
20	500	120	<b>0.601.20</b>	10
25	400	120	<b>0.601.25</b>	10



CALIBRE (A)	TENSION (V)	POUVOIR DE COUPURE (KA)	Réf sans perceur	Réf avec perceur	PKG PCE
<b>10 x 38 mm - HPC</b>					
1	500	120	<b>0.601.02</b>	<b>0.601.02</b>	<b>10</b>
2	500	120	<b>0.601.04</b>	<b>0.601.04</b>	<b>10</b>
4	500	120	<b>0.601.06</b>	<b>0.601.06</b>	<b>10</b>
6	500	120	<b>0.601.10</b>	<b>0.601.10</b>	<b>10</b>
10	500	120	<b>0.601.16</b>	<b>0.601.16</b>	<b>10</b>
16	500	120	<b>0.601.20</b>	<b>0.601.20</b>	<b>10</b>
20	500	120	<b>0.601.25</b>	<b>0.601.25</b>	<b>10</b>
<b>14 x 51 mm - HPC</b>					
10	500	120	-	<b>0.613.10</b>	<b>10</b>
32	500	120	<b>0.612.32</b>	-	<b>10</b>
<b>22 x 58 mm - HPC</b>					
20	660	120	<b>0.614.20</b>	-	<b>10</b>
32	660	120	<b>0.614.32</b>	-	<b>10</b>

