

Scherpenheuvel, january 2025

DECLARATION OF CONFORMITY FOR LIGHTING LUMINAIRES

We, Integratech declare under our sole responsibility that the products from productrange*:

Ledstrip: LS-PER Monocolor

*the specific productcodes can be found in appendage page2

to which this declaration relates are in conformity with the following standards or other normative documents:

Harmonized standards:

EN IEC 63000:2018	RoHS2
EN 60598-1: 2021/A11: 2022	Luminaires general requirements and tests
EN 60598-2-1: 2020	fixed general purpose luminaires
EN IEC 55015: 2019+A11:2020	RFI
EN 61000-3-3: 2013 + A2 :2021	EMC harmonics
EN 61000-3-2: 2019 + A1:2021	EMC voltage fluctuations and flicker
EN 61547: 2009	EMC immunity
EN 62471 : 2008	Photobiological safety (Blue Light hazard)
EN 62493 : 2015/A1 2022	Human exposure related to electromagnetic fields

Following the provisions of Directives:

2014/30/EU	EMC directive
2014/35/EU	Electrical voltage limits
2009/125/EC	Energy Related Product
2011/65/EU	RoHS

Tested and allowed to use CE marking to demonstrate the compliance with this LVD directive.

This Declaration of Conformity is based on the design and construction of the equipment as marketed by Integratech BV. If modifications are made to the equipment without prior consultation with Integratech BV, this statement expires.

The authorized representative located within the Community is:

voor INTEGRATECH BV

TFox Management BV
Gedelegeerd Bestuurder,
Vast vertegenwoordigd door Thierry Devos

Technical Operations Manager
Bert Vereecken

Appendix productcodes

Reference	Reference	Reference	Reference
LS-PER050IP202712m	LS-PER050IP6765SIL	LS-PER100IP2040DF	LS-PER125IP2040CSP
LS-PER050IP202720m	LS-PER070IP6727HT	LS-PER100IP2065	LS-PER125IP2065
LS-PER050IP202750m	LS-PER070IP6730HT	LS-PER100IP2065COB	LS-PER125IP2065CSP
LS-PER050IP2027COB	LS-PER070IP6740HT	LS-PER100IP2065DF	LS-PER125IP6727
LS-PER050IP2027DF	LS-PER070IP6765HT	LS-PER100IP6727	LS-PER125IP6730
LS-PER050IP203012m	LS-PER075IP2027	LS-PER100IP672712m	LS-PER125IP6740
LS-PER050IP203020m	LS-PER075IP2027CR95	LS-PER100IP672720m	LS-PER125IP6765
LS-PER050IP203050m	LS-PER075IP2027CSP	LS-PER100IP672750m	LS-PER130IP6727HT
LS-PER050IP2030COB	LS-PER075IP2030	LS-PER100IP6727COB	LS-PER130IP6730HT
LS-PER050IP2030DF	LS-PER075IP2030CR95	LS-PER100IP6727DF	LS-PER130IP6740HT
LS-PER050IP204012m	LS-PER075IP2030CSP	LS-PER100IP6727SIL	LS-PER130IP6765HT
LS-PER050IP204020m	LS-PER075IP2040	LS-PER100IP6730	LS-PER150IP2027
LS-PER050IP204050m	LS-PER075IP2040CR95	LS-PER100IP673012m	LS-PER150IP202712m
LS-PER050IP2040COB	LS-PER075IP2040CSP	LS-PER100IP673020m	LS-PER150IP202720m
LS-PER050IP2040DF	LS-PER075IP2065	LS-PER100IP673050m	LS-PER150IP2027COB
LS-PER050IP2065COB	LS-PER075IP2065CSP	LS-PER100IP6730COB	LS-PER150IP2027DF
LS-PER050IP2065DF	LS-PER075IP6727	LS-PER100IP6730DF	LS-PER150IP2030
LS-PER050IP672712m	LS-PER075IP6730	LS-PER100IP6730SIL	LS-PER150IP203012m
LS-PER050IP672720m	LS-PER075IP6740	LS-PER100IP6740	LS-PER150IP203020m
LS-PER050IP672750m	LS-PER075IP6765	LS-PER100IP674012m	LS-PER150IP2030COB
LS-PER050IP6727COB	LS-PER100IP2027	LS-PER100IP674020m	LS-PER150IP2030DF
LS-PER050IP6727DF	LS-PER100IP202712m	LS-PER100IP674050m	LS-PER150IP2040
LS-PER050IP6727SIL	LS-PER100IP202720m	LS-PER100IP6740COB	LS-PER150IP204012m
LS-PER050IP673012m	LS-PER100IP202750m	LS-PER100IP6740DF	LS-PER150IP204020m
LS-PER050IP673020m	LS-PER100IP2027COB	LS-PER100IP6740SIL	LS-PER150IP2040COB
LS-PER050IP673050m	LS-PER100IP2027DF	LS-PER100IP6765	LS-PER150IP2040DF
LS-PER050IP6730COB	LS-PER100IP2030	LS-PER100IP6765COB	LS-PER150IP2065
LS-PER050IP6730DF	LS-PER100IP203012m	LS-PER100IP6765DF	LS-PER150IP2065COB
LS-PER050IP6730SIL	LS-PER100IP203020m	LS-PER100IP6765SIL	LS-PER150IP2065DF
LS-PER050IP674012m	LS-PER100IP203050m	LS-PER125IP2027	LS-PER150IP6727
LS-PER050IP674020m	LS-PER100IP2030COB	LS-PER125IP2027CR95	LS-PER150IP672712m
LS-PER050IP674050m	LS-PER100IP2030DF	LS-PER125IP2027CSP	LS-PER150IP672720m
LS-PER050IP6740COB	LS-PER100IP2040	LS-PER125IP2030	LS-PER150IP6727COB
LS-PER050IP6740DF	LS-PER100IP204012m	LS-PER125IP2030CR95	LS-PER150IP6727DF
LS-PER050IP6740SIL	LS-PER100IP204020m	LS-PER125IP2030CSP	LS-PER150IP6727SIL
LS-PER050IP6765COB	LS-PER100IP204050m	LS-PER125IP2040	LS-PER150IP6730
LS-PER050IP6765DF	LS-PER100IP2040COB	LS-PER125IP2040CR95	LS-PER150IP673012m

Reference	Reference
LS-PER150IP673020m	LS-PER250IP6730DF
LS-PER150IP6730COB	LS-PER250IP6740DF
LS-PER150IP6730DF	LS-PER250IP6765DF
LS-PER150IP6730SIL	LS-PER300IP2027HP
LS-PER150IP6740	LS-PER300IP2030HP
LS-PER150IP674012m	LS-PER300IP2040HP
LS-PER150IP674020m	LS-PER300IP2065HP
LS-PER150IP6740COB	LS-PER400IP2027HP
LS-PER150IP6740DF	LS-PER400IP2030HP
LS-PER150IP6740SIL	LS-PER400IP2040HP
LS-PER150IP6765	LS-PER400IP2065HP
LS-PER150IP6765COB	
LS-PER150IP6765DF	
LS-PER150IP6765SIL	
LS-PER175IP2027	
LS-PER175IP2030	
LS-PER175IP2040	
LS-PER175IP2065	
LS-PER175IP6727	
LS-PER175IP6730	
LS-PER175IP6740	
LS-PER175IP6765	
LS-PER200IP2027DF	
LS-PER200IP2027HP	
LS-PER200IP2030DF	
LS-PER200IP2030HP	
LS-PER200IP2040DF	
LS-PER200IP2040HP	
LS-PER200IP2065DF	
LS-PER200IP2065HP	
LS-PER200IP6727DF	
LS-PER200IP6730DF	
LS-PER200IP6740DF	
LS-PER200IP6765DF	
LS-PER250IP2027DF	
LS-PER250IP2030DF	
LS-PER250IP2040DF	
LS-PER250IP2065DF	
LS-PER250IP6727DF	